

# PAVA BASIC

SLI033033CCT\_PW

On track luminaire PAVA BASIC with the possibility of changing the light color (CCT), with a power of 20 W, high light efficacy 111 lm/W. Thanks to the ability to change the color temperature (CCT) in the range 3000/4000/6000K, we can adjust the light color depending on our needs and preferences. The CCT function allows you to changes to the colour temperature of light (3000/4000/6000K). Designed to be mounted on a track.

**CCT**


Power	<b>20 W</b>	Voltage	<b>230 V</b>
Luminous flux*	<b>2225 lm (360°)</b>	Colour temperature	<b>3000/4000/6000 K</b>
Colour of light	<b>CCT</b>	Beam angle	<b>20-45 °</b>
Degree of protection (IP)	<b>IP20</b>		

## Technical data

Code	SLI033033CCT_PW
Power	20 W
Nominal current	145 mA
Voltage	230 V
Energy consumption	20 kWh/1000h
Frequency	50HZ Hz
Protection class	I
Power supply included	Yes
Power factor	0.5
Useful luminous flux*	2225 lm (360°)
Luminous flux**	1700 lm (360°)
Lamp efficacy	111 lm/W
Luminous intensity	3100 cd
Colour temperature	3000/4000/6000 K
Colour of light	CCT
Beam angle	20-45 °
RA	80
Light source included	Yes
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	17000 h
Housing material	Aluminum, PLASTIC
Degree of protection (IP)	IP20
Colour	Black
Dimension (AxBxC)	84x136x185 mm
For use	Inside
Assembly method	on track 3-fazowy
Application	Inside
Made in	PRC
Other	Light color change function 3000K/4000K/6000K ,


## Logistics data

Bulk packaging	20 pcs.
Quantity per pallet	400 pcs.
Gross weight (1 pcs.)	0.52 kg




## Related documents



 User manual



 Declaration of Conformity



 Photometric file



 3D model

