


PIATTA

SLI003031CCT_PW

LED luminaire PIATTA with the possibility of changing the light color (CCT), with a power of 18 W, high light efficacy 130 lm/W. Thanks to the ability to change the color temperature (CCT) in the range 3000/4000/6000K, we can adjust the light color depending on our needs and preferences. It has a high IP44 rating, making it ideal for use in areas of high humidity. The CCT function allows you to changes to the colour temperature of light (3000/4000/6000K). Designed for surface mounting.




Power	18 W	Voltage	230 V
Luminous flux*	2350 lm (360°)	Colour temperature	3000/4000/6000 K
Colour of light	CCT	Degree of protection (IP)	IP44

Technical data

Code	SLI003031CCT_PW
Power	18 W
Nominal current	135 mA
Voltage	230 V
Energy consumption	18 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power factor	0,5
Useful luminous flux*	2350 lm (360°)
Luminous flux**	1800 lm (360°)
Lamp efficacy	130 lm/W
Colour temperature	3000/4000/6000 K
Colour of light	CCT
RA	80
Light source included	+
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	17000 h
Housing material	Plastic
Degree of protection (IP)	IP44
Colour	Black
Dimension (AxBxC)	250x47 mm
For use	Inside/Outside
Assembly method	On the ceiling
Application	INT/EXT
Made in	PRC
Other	Light color change function 3000K/4000K/6000K ,


Logistics data

Bulk packaging	10 pcs.
Quantity per pallet	300 pcs.
Gross weight (1 pcs.)	0.5 kg




Related documents



 User manual



 Declaration of Conformity



 Photometric file

